

Voltel WR 405T
 Voltel WR 605T
 Voltel WR 605T Silver
 Voltel WR 805T
 Voltel WR 1005T



ПЕРАЛНЯ

- » WR 405T - 400 оборота/min
- » WR 605T - 600 оборота/min
- » WR 805T - 800 оборота/min
- » WR 1005T - 1000 оборота/min
- » 5 кг пране
- » Електронен програматор
- » 15 програми
- » Полипропилен
- » Терморегулатор
- » Автоматична теглилка
- » Touch buttons
- » Енергиен клас AA



Voltel WR 405T
 Voltel WR 605T
 Voltel WR 605T Silver
 Voltel WR 805T
 Voltel WR 1005T

Техническа спецификация

Standard Features

	WR 405T	WR 605T	WR 805T	WR 1005T
Model name	WR 405T	WR 605T	WR 805T	WR 1005T
Max spin speed:	400rpm	600rpm	800rpm	1000rpm
Max dry load capacity (kg)	5kg	5kg	5kg	5kg
Drum volume (lt)	42	42	42	42
Automatic half load detection	+	+	+	+
Foam protection	+	+	+	+
Unbalance control system	+	+	+	+
Overflow protection	+	+	+	+
Control System	Full electronic	Full electronic	Full electronic	Full electronic
Low and high voltage protection	+	+	+	+
Failure detection system	+	+	+	+
Child lock	-	-	-	-

Equipment

Door: Wide opening angle	+	+	+	+
Diameter for porhol	30sm	30sm	30sm	30sm
Door lock	+	+	+	+
Glass door	+	+	+	+
Pump with filter	+	+	+	+
Number of compartments in dispenser	+	+	+	+
Removable plastic top	+	+	+	+
Adjustable feet	+	+	+	+

Performance**

Energy efficiency	A	A	A	A
Washing efficiency	A	A	A	A
Spinning efficiency	A	A	A	A

Power, consumption, voltage**

Power rating	2200	2200	2200	2200
Water consumption (lt)	43	43	43	43
Energy consumption (kWh)	1.15	1.15	1.15	1.15
Voltage V/ Frequency (Hz)	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz
Electrical current (A)	10	10	10	10

Dimensions and weight

Unpacked dimensions (HxWxD) cm	85x60x54	85x60x54	85x60x54	85x60x54
Packed dimensions (shrink)(HxWxD)	87.5x63.1x53.6	87.5x63.1x53.6	87.5x63.1x53.6	87.5x63.1x53.6
Packed dimensions (carton) (HxWxD)	89x64.3x54.8	89x64.3x54.8	89x64.3x54.8	89x64.3x54.8
Net weight (kg)	61	61	61	61
Gross weight (kg)	63.50	63.50	63.50	63.50
Container size (pieces) (20'/40'/HC) (shrink)	76/162/233	76/162/233	76/162/233	76/162/233
Container size (pieces) (20'/40'/HC) (carton)	74/150/224	74/150/224	74/150/224	74/150/224

Voltel WR 405
Voltel WR 605



- ПЕРАЛНЯ**
- » WR 405 - 400 оборота/min
 - » WR 605 - 600 оборота/min
 - » 5 кг пране
 - » Електронен програматор
 - » 15 програми
 - » Полипропилен
 - » Автоматична теглилка
 - » Touch buttons
 - » Енергиен клас AA



Voltel WR 405
Voltel WR 605

Техническа спецификация

Standard Features

	Voltel WR 405	Voltel WR 605
Model name	400rpm	600rpm
Max spin speed:	5kg	5kg
Max dry load capacity (kg)	42	42
Drum volume (lt)	+	+
Automatic half load detection	+	+
Foam protection	+	+
Unbalance control system	+	+
Overflow protection	+	+
Control System	Full electronic	Full electronic
Low and high voltage protection	+	+
Failure detection system	+	+
Child lock	-	-

Equipment

Door: Wide opening angle	+	+
Diameter for porthol	30sm	30sm
Door lock	+	+
Glass door	+	+
Pump with filter	+	+
Number of compartments in dispenser	+	+
Removable plastic top	+	+
Adjustable feet	+	+

Performance**

Energy efficiency	A	A
Washing efficiency	A	A
Spinning efficiency	A	A

Power, consumption, voltage**

Power rating	2200	2200
Water consumption (lt)	43	43
Energy consumption (kWh)	1.15	1.15
Voltage V/ Frequency (Hz)	220-240V /50Hz	220-240V /50Hz
Electrical current (A)	10	10

Dimensions and weight

Unpacked dimensions (HxWxD) cm	85x60x54	85x60x54
Packed dimensions (shrink) (HxWxD)	87.5x63.1x53.6	87.5x63.1x53.6
Packed dimensions (carton) (HxWxD)	89x64.3x54.8	89x64.3x54.8
Net weight (kg)	61	61
Gross weight (kg)	63.50	63.50
Container size (pieces) (20'/40'/HC) (shrink)	76/162/233	76/162/233
Container size (pieces) (20'/40'/HC) (carton)	74/150/224	74/150/224

Voltel VL 640 CA 1 SLIM
Voltel VL 840 CA 1 SLIM



- ПЕРАЛНЯ**
- » VL 640 CA 1 SLIM - 600 об./мин.
 - » VL 840 CA 1 SLIM - 800 об./мин.
 - » 5 кг пране
 - » Електронен програматор
 - » 20 програми
 - » Полипропилен
 - » Автоматична теглилка
 - » Touch buttons
 - » Енергиен клас АА
 - » Размери (ВхШхД):
800 x 600 x 440 мм



Voltel VL 640 CA 1 SLIM
Voltel VL 840 CA 1 SLIM

Техническа спецификация

Standard Features

	VL 640 CA 1 SLIM	VL 840 CA 1 SLIM
Model name	600rpm	800rpm
Max spin speed:	5kg	5kg
Max dry load capacity (kg)	43	43
Drum volume (lt)	+	+
Automatic f load detection	+	+
Foam protection	+	+
Unbalance control system	+	+
Overflow protection	+	+
Control System	Full electronic	Full electronic
Low and high voltage protection	+	+
Failure detection system	+	+
Child lock	+	+
Equipment		
Door: Wide opening angle	+	+
Diameter for porthol	30см	30см
Door lock	+	+
Glass door	+	+
Pump with filter	+	+
Number of compartments in dispenser	+	+
Removable plastic top	+	+
Adjustable feet	+	+
Performance**		
Energy efficiency	A	A
Washing efficiency	A	A
Spinning efficiency	A	A
Dimensions and weight		
Unpacked dimensions (HxWxD)cm	85x60x44	85x60x44

Voltel RC 441
Voltel RC 641



- ПЕРАЛНЯ**
- » RC 441 - 400 об./мин.
 - » RC 641 - 600 об./мин.
 - » 15 програми
 - » Полипропилен
 - » Автоматична везна
 - » Електронен програматор
 - » 5 кг пране
 - » Енергиен клас А



Voltel RC 441
Voltel RC 641

Техническа спецификация

Standard Features

	Voltel RC 441	Voltel RC 641
Model name	400rpm	600rpm
Max spin speed	5kg	5kg
Max dry load capacity (kg)	43	43
Drum volume (lt)	+	+
Automatic f load detection	+	+
Foam protection	+	+
Unbalance control system	+	+
Overflow protection	+	+
Control System	Full electronic	Full electronic
Low and high voltage protection	+	+
Failure detection system	+	+
Child lock	+	+
Equipment		
Door: Wide opening angle	+	+
Diameter for porthol	30cm	30cm
Door lock	+	+
Glass door	+	+
Pump with filter	+	+
Number of compartments in dispenser	+	+
Removable plastic top	+	+
Adjustable feet	+	+
Performance**		
Energy efficiency	A	A
Washing efficiency	A	A
Spinning efficiency	-	-
Dimensions and weight		
Unpacked dimensions (HxWxD)cm	59,6x85x51	59,6x85x51

Voltel RC 442



- ПЕРАЛНЯ**
- » 400 об./мин.
 - » 15 програми
 - » Терморегулатор
 - » Полипропилен
 - » Автоматична везна
 - » Електронен програматор
 - » 5 кг пране
 - » Енергиен клас А



Voltel RC 442

Техническа спецификация

Standard Features

Model name	Voltel RC 442
Max spin speed	400rpm
Max dry load capacity (kg)	5kg
Drum volume (lt)	43
Automatic f load detection	+
Foam protection	+
Unbalance control system	+
Overflow protection	+
Control System	Full electronic
Low and high voltage protection	+
Failure detection system	+
Child lock	+
Equipment	
Door: Wide opening angle	+
Diameter for porthol	30cm
Door lock	+
Glass door	+
Pump with filter	+
Number of compartments in dispenser	+
Removable plastic top	+
Adjustable feet	+
Performance**	
Energy efficiency	A
Washing efficiency	A
Spinning efficiency	-
Dimensions and weight	
Unpacked dimensions (HxWxD)cm	59,6x85x51